
PRESTIGE™ 60 SLAB
PREMIUM FINISH Ⓟ



PRESTIGE™ 60 SLAB



	HEIGHT X WIDTH X LENGTH CM / IN	
	6 x 20 x 40	$2^{3/8}$ x $7^{7/8}$ x $15^{3/4}$
No. of units	12,5 /m²	1,16 /ft²
Qty/row	0,96 m²	10,33 ft²
Qty/cube	10,56 m²	113,63 ft²
Weight/unit	12 kg	26 lb
Weight/cube	1591 kg	3508 lb

Approximate coverage areas for one bag of polymeric sand (22,7 kg)	9,83 m²	105,8 ft²



	HEIGHT X WIDTH X LENGTH CM / IN	
	6 x 40 x 40	$2^{3/8}$ x $15^{3/4}$ x $15^{3/4}$
No. of units	6,25 /m²	0,58 /ft²
Qty/row	0,96 m²	10,33 ft²
Qty/cube	10,56 m²	113,63 ft²
Weight/unit	25 kg	55 lb
Weight/cube	1591 kg	3508 lb

Approximate coverage areas for one bag of polymeric sand (22,7 kg)	14,72 m²	158,4 ft²



	HEIGHT X WIDTH X LENGTH CM / IN	
*	6 x 40 x 60	$2^{3/8}$ x $15^{3/4}$ x $23^{5/8}$
No. of units	4,2 /m²	0,4 /ft²
Qty/row	0,96 m²	10,33 ft²
Qty/cube	10,56 m²	113,63 ft²
Weight/unit	37 kg	81 lb
Weight/cube	1591 kg	3508 lb

Approximate coverage areas for one bag of polymeric sand (22,7 kg)	17,65 m²	190,0 ft²



	HEIGHT X WIDTH X LENGTH CM / IN	
*	6 x 60 x 60	$2^{3/8}$ x $23^{5/8}$ x $23^{5/8}$
No. of units	2,8 /m²	0,3 /ft²
Qty/row	0,72 m²	7,75 ft²
Qty/cube	7,92 m²	85,25 ft²
Weight/unit	56 kg	123 lb
Weight/cube	1200 kg	2646 lb

Approximate coverage areas for one bag of polymeric sand (22,7 kg)	22,06 m²	237,5 ft²

MADE-TO-ORDER PRODUCT

Product on special order for minimum quantity.

COLOURS

- Granite grey (2*)
- Anthracite (2*)
- Avenue (1)

TEXTURES AND FINISH

- Grenart Premium Ⓟ
- Smooth Premium Ⓟ
- Avenue (1)

Note 1: Prices for Avenue colours and finishes are available upon request.

Note 2: Products available from inventory.

PRESTIGE™ 60 SLAB
PREMIUM FINISH

COLOURS

GRENART FINISH



Granite grey



Anthracite

SMOOTH FINISH



Granite grey



Anthracite

Colours contributing to LEED program solar reflective indices can help reduce the heat island effect in urban settings.

AVENUE SERIES COLOURS



Granite grey



Light grey



Silver grey



Smoke grey



Anthracite



Opal white




Ivory



Light beige



Sahara beige




Burned Beige




Sandhill beige




Salmon




Clay red




Red



Burgundy



Caledonia pink



Brown




Bistre


Avenue Series colours and finishes are available upon request, minimum quantity required.

Colours contributing to LEED program solar reflective indices can help reduce the heat island effect in urban settings.


PATTERNS




40X40 Checker pattern




20X40 Runner pattern




40X40 Runner pattern




40X60 Runner pattern




Runner pattern



Modular pattern



60X60 Checker pattern



60X60 Runner pattern

The layout shown in the above illustration is for information purposes only. Bolduc disclaims all responsibility for the excess or lack of slabs resulting from an installation according to these laying patterns.

BOLDUC
CONCRETE PRODUCT MANUFACTURER

CANADA : 1 800 463-8966
USA : 1 800 603-5567
WWW.BOLDUC.CA

PRESTIGE™ 60 SLAB
PREMIUM FINISH

TECHNICAL INFORMATIONS

Product	Standard	Flexural (Transverse) Strength	Durability to freeze-thaw cycles with utilisation of de-icing salts	Water absorption	Dimensional tolerances
Prestige 60 slab	CSA A231.1	5 MPa (725 psi)	Maximum loss of initial weight in a saline solution (NaCl 3 %) : 225 g/m² (0,74 oz / ft²) after 28 cycles 500 g/m² (1,64 oz / ft²) after 49 cycles	6 % maximum	Lenght: -1 mm to +2 mm (-1/32 in to + 5/64 in) Width: -1 mm to +2 mm (-1/32 in to + 5/64 in) Height: ±3 mm (±1/8 in)

SPECIFICATION CLAUSE

SPEC. NOTE: Include the following article in Part 2 - Products of section 32 14 13 - Precast Concrete Pavers. It prescribes the choice of BOLDUC pavers and slabs for landscaping purposes. It should describe the geometric and physical characteristics and indicate the paver selected, its dimensions, colour and finish.

PART 2 - PRODUCTS

2.1 Precast Concrete Pavers

.1 Concrete slab complying with CSA-A 231.1 standard and the following prescriptions.

.2 Prestige 60 slab supplied by BOLDUC.

.1 Thickness: 6 cm (2 3/8 in)

.2 Nominal Dimensions:

.3 Colour :

.4 Texture : Smooth Premium or Grenart Premium finishes